



Cruze

Olivet+

Cruze[®]
WATER PURIFIER

Olive+

— INTRODUCING OUR —
PREMIUM
SEGMENT



RUBY RED

RO + ALKALINE + UV + TDS + AUTOFLUSH

| | |
|---------------------------|---------------------------|
| Cabinet Type | : Food Grade |
| Purification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| UV Lamp Power | : 11 w |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

6 STAGE
FILTRATION

10 Ltr.
STORAGE

M.R.P. : 21,999/-
Incl. of all Taxes

Olive

— INTRODUCING OUR —
PREMIUM
S E G M E N T



SHEEN GREEN

RO + ALKALINE + TDS

| | |
|---------------------------|---------------------------|
| Cabinet Type | : Food Grade |
| Purification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

5 STAGE
FILTRATION

10 Ltr.
STORAGE

M.R.P. : 20,499/-
Incl. of all Taxes

AQUA BLUSH

— INTRODUCING OUR —
PREMIUM
S E G M E N T



PREMIUM BLACK

RO + ALKALINE

| | |
|---------------------------|---------------------------|
| Cabinet Type | : Food Grade |
| ABSPurification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

5 STAGE
FILTRATION

9 Ltr.
STORAGE

M.R.P. : 15,499/-
Incl. of all Taxes

glaze

BASIC
SEGMENT



PHILIPS WHITE RO + UV + ALKALINE + TDS

| | |
|---------------------------|---------------------------|
| Cabinet Type | : Food Grade ABS |
| Purification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| UV LED Power | : 6 W |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

6 STAGE
FILTRATION

10 Ltr.
STORAGE

M.R.P. : 19,240/-
Incl. of all Taxes

RO 25 MS

COMMERICAL
SEGMENT

SAPPHIRE BLUE RO

| | |
|---------------------------|---------------------------|
| Body Type | : M.S. (COATED) |
| Purification Capacity | : 25 TO 30 Ltr/hr |
| Max Duty Cycle | : 125 Ltr/ Day |
| RO Membrane | : 80 GPD (2 PCS) |
| Booster Pump | : 150 GPD (1 PCS) |
| Min. Inlet Water Pressure | : 1.0 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |



5 STAGE
FILTRATION

M.R.P. : 34,880/-
Incl. of all Taxes

Olive

— INTRODUCING OUR —
PREMIUM
S E G M E N T



ROSE GOLD **RO + COPPER + TDS**

| | |
|---------------------------|---------------------------|
| Cabinet Type | : Food Grade |
| Purification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

5 STAGE
FILTRATION

10 Ltr.
STORAGE

M.R.P. : 20,899/-
Incl. of all Taxes

standard+

— INTRODUCING OUR —
PREMIUM
S E G M E N T

TEAL GREEN

RO + ALKALINE + SILVER NANO+TDS

| | |
|---------------------------|---------------------------|
| Cabinet Type | : Food Grade |
| Purification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2000 to 2500 ppm |

6 STAGE
FILTRATION

10 Ltr.
STORAGE

M.R.P. : 20,899/-
Incl. of all Taxes



NOBEL

— INTRODUCING OUR —
PREMIUM
SEGMENT



PREMIUM GREY RO + ALKALINE

| | |
|---------------------------|---------------------------|
| Body Type | : M.S. (COATED) |
| Purification Capacity | : 17 to 18 Ltr/hr |
| Max Duty Cycle | : 75 Ltr/ Day |
| RO Membrane | : 80 GPD |
| Booster Pump | : 100 GPD |
| Min. Inlet Water Pressure | : 0.3 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

RO + MINERAL

6 STAGE
FILTRATION

18 Ltr./Hr.
CAPACITY

M.R.P. : 20,899/-
Incl. of all Taxes

RO 50 MS

COMMERICAL
SEGMENT



SAPPHIRE BLUE

RO

| | |
|---------------------------|---------------------------|
| Body Type | : M.S. (COATED) |
| Purification Capacity | : 50 TO 60 Ltr/hr |
| Max Duty Cycle | : 250 Ltr/ Day |
| RO Membrane | : 80 GPD (4 PCS) |
| Booster Pump | : 150 GPD (2 PCS) |
| Min. Inlet Water Pressure | : 1.0 kg /cm ² |
| Input Voltage | : 150-300 V AC (50Hz) |
| Input TDS | : upto 2500 to 3000 ppm |

5 STAGE
FILTRATION

M.R.P. : 44,880/-
Incl. of all Taxes

#Standard Test Condition:

RO / RO+UV/SN + ALKALINE Water Purifiers

- Feed water Quality: TDS (max.): 1000 mg/lit with NaCl, Pressure : 1.0 Kg/cm², Turbidity : Max. 1 NTU, Temperature: 25°C, Chlorine below 0.2 mg/litres, Iron below 0.3 mg/litres
- Pressure on membrane: 75 psi & Product recovery @ 25%
- Life: 6000# Liters.

#Actual performance may vary based on the input water conditions : TDS, Hardness, Pressure, Temperature & pH



LEXCRU WATER TECH PVT. LTD.

Corporate Office :

INDIA : D- 601/602, Six Floor, Saral Icon, Near. Hotel Flora, Opp. Reliance Petrol Pump,
S. P. Ring Road, Vastral - 382418, Ahmedabad, Gujarat, INDIA.

 www.lexcru.com  sales@lexcru.com

